

Tobacco Smoking

Test your addiction to tobacco





Nicotine Addiction

Nicotine addiction has a major influence on smoking cessation. The less dependent you are, the easier it will be to stop. On the other hand, if your addiction is moderate or severe, it is important to discuss it with your doctor, who can suggest appropriate solutions to help you quit more easily. Note that MOTIVATION remains by far the best solution...



Association pour la Santé au Travail du Secteur Financier 15-17 avenue Gaston Diderich L-1420 Luxembourg

tél: 22 80 90-1 fax: 22 80 81



www.astf.lu

Evaluation for Nicotine Dependence:

Fagerström Test:

	Within 5 minutes	3 points
How soon after you wake up do you smoke your first	6-30 minutes	2 points
cigarette?	31-60 minutes	1point
	After 60 minutes	0 point
Do you find difficult to refrain from smoking in places	Yes	1 point
Where it is forbidden (e.g. in church, at the library, cinema etc.) ?	No	0 point
Wich cigarette would you hate to give up?	The first one in the morning	1 point
	All the others	0 point
	10 or less	0 point
How many cigarettes/day do you smoke?	11-20	1 point
	21-30	2 points
	31 or more	3 points
Do you smoke more frequently during the first hours	Yes	1 point
after waking than during the rest of the day?	No	0 point
Do you smoke if you are so ill you are in bed most	Yes	1 point
of the day?	No	0 point
	Total Score	

Score de 0 to 2: no nicotine addiction
Score de 3 to 4: low nicotine addiction

Score de 5 to 6: moderately addictive to nicotine Score de 7 to 10: highly nicotine dependent